

```

digraph G {
"start_0"->"org.jboss.as.server.deployment.DeploymentPhaseContext <--
getDeploymentUnit(...) (1)";
"org.jboss.as.server.deployment.DeploymentPhaseContext <--
getDeploymentUnit(...) (1)" [style=filled, fillcolor="#cfe2f3"];
"org.jboss.as.server.deployment.DeploymentPhaseContext <--
getDeploymentUnit(...) (1)"-
>"org.jboss.as.server.deployment.DeploymentPhaseContext implements
org.jboss.as.server.deployment.Attachable (2)";
"org.jboss.as.server.deployment.DeploymentPhaseContext implements
org.jboss.as.server.deployment.Attachable (2)" [style=filled,
fillcolor="yellow"];
"start_0"->"org.jboss.as.jaxrs.deployment.JaxrsDeploymentMarker <--
isJaxrsDeployment(...) (4)";
"org.jboss.as.jaxrs.deployment.JaxrsDeploymentMarker <--
isJaxrsDeployment(...) (4)" [style=filled, fillcolor="#cfe2f3"];
"org.jboss.as.jaxrs.deployment.JaxrsDeploymentMarker <--
isJaxrsDeployment(...) (4)"-
>"org.jboss.as.server.deployment.DeploymentUnit <-- getParent(...) (5)";
"org.jboss.as.server.deployment.DeploymentUnit <-- getParent(...) (5)"
[style=filled, fillcolor="#cfe2f3"];
"org.jboss.as.server.deployment.DeploymentUnit <-- getParent(...) (5)"-
>"org.jboss.as.server.deployment.DeploymentUnit implements
org.jboss.as.server.deployment.Attachable (6)";
"org.jboss.as.server.deployment.DeploymentUnit implements
org.jboss.as.server.deployment.Attachable (6)" [style=filled,
fillcolor="yellow"];
"org.jboss.as.server.deployment.DeploymentUnit <-- getParent(...) (5)"-
>"org.jboss.as.server.deployment.DeploymentUnit implements
org.jboss.as.controller.FeatureRegistry (8)";
"org.jboss.as.server.deployment.DeploymentUnit implements
org.jboss.as.controller.FeatureRegistry (8)" [style=filled,
fillcolor="yellow"];
"org.jboss.as.jaxrs.deployment.JaxrsDeploymentMarker <--
isJaxrsDeployment(...) (4)"->"java.lang.Object <-- getAttachment(...)
(10)";
"java.lang.Object <-- getAttachment(...) (10)" [style=filled,
fillcolor="#cfe2f3"];
"start_0"->"EMPTY CLASS org.jboss.as.ee.structure.DeploymentType(11)";
"start_0"->"org.jboss.as.ee.structure.DeploymentTypeMarker <-- isType(...)
(12)";
"org.jboss.as.ee.structure.DeploymentTypeMarker <-- isType(...) (12)"
[style=filled, fillcolor="#cfe2f3"];
"org.jboss.as.ee.structure.DeploymentTypeMarker <-- isType(...) (12)"-
>"EMPTY CLASS org.jboss.as.ee.structure.Attachments(13)";
"start_0"->"org.jboss.as.server.deployment.DeploymentUnit <--
getParent(...) (15)";
"org.jboss.as.server.deployment.DeploymentUnit <-- getParent(...) (15)"
[style=filled, fillcolor="#cfe2f3"];
"start_0"->"EMPTY CLASS org.jboss.as.web.common.WarMetaData(16)";
"start_0"->"org.jboss.as.web.common.WarMetaData <--
getMergedJBossWebMetaData(...) (18)";
"org.jboss.as.web.common.WarMetaData <-- getMergedJBossWebMetaData(...)
(18)" [style=filled, fillcolor="#cfe2f3"];

```

```

"start_0"->"org.jboss.as.jaxrs.deployment.JaxrsIntegrationProcessor <--
setConfigParameters(...) (19)";
"org.jboss.as.jaxrs.deployment.JaxrsIntegrationProcessor <--
setConfigParameters(...) (19)" [style=filled, fillcolor="#cfe2f3"];
"org.jboss.as.jaxrs.deployment.JaxrsIntegrationProcessor <--
setConfigParameters(...) (19)"-
>"org.jboss.as.jaxrs.deployment.JaxrsIntegrationProcessor implements
org.jboss.as.server.deployment.DeploymentUnitProcessor (20)";
"org.jboss.as.jaxrs.deployment.JaxrsIntegrationProcessor implements
org.jboss.as.server.deployment.DeploymentUnitProcessor (20)"
[style=filled, fillcolor="yellow"];
"org.jboss.as.jaxrs.deployment.JaxrsIntegrationProcessor <--
setConfigParameters(...) (19)"-
>"org.jboss.as.server.deployment.DeploymentPhaseContext <--
getServiceRegistry(...) (22)";
"org.jboss.as.server.deployment.DeploymentPhaseContext <--
getServiceRegistry(...) (22)" [style=filled, fillcolor="#cfe2f3"];
"org.jboss.as.jaxrs.deployment.JaxrsIntegrationProcessor <--
setConfigParameters(...) (19)"->"EMPTY CLASS
org.jboss.as.jaxrs.JaxrsServerConfigService(23)";
"org.jboss.as.jaxrs.deployment.JaxrsIntegrationProcessor <--
setConfigParameters(...) (19)"->"org.jboss.msc.service.ServiceRegistry <--
getRequiredService(...) (24)";
"org.jboss.msc.service.ServiceRegistry <-- getRequiredService(...) (24)"
[style=filled, fillcolor="#cfe2f3"];
"org.jboss.as.jaxrs.deployment.JaxrsIntegrationProcessor <--
setConfigParameters(...) (19)"->"org.jboss.msc.service.ServiceController
<-- getValue(...) (25)";
"org.jboss.msc.service.ServiceController <-- getValue(...) (25)"
[style=filled, fillcolor="#cfe2f3"];
"org.jboss.msc.service.ServiceController <-- getValue(...) (25)"-
>"org.jboss.msc.service.ServiceController implements
org.jboss.msc.value.Value (26)";
"org.jboss.msc.service.ServiceController implements
org.jboss.msc.value.Value (26)" [style=filled, fillcolor="yellow"];
"org.jboss.as.jaxrs.deployment.JaxrsIntegrationProcessor <--
setConfigParameters(...) (19)"->"EMPTY CLASS
org.jboss.as.jaxrs.JaxrsAttribute(28)";
"org.jboss.as.jaxrs.deployment.JaxrsIntegrationProcessor <--
setConfigParameters(...) (19)"->"org.jboss.as.jaxrs.JaxrsServerConfig <--
isJaxrs20RequestMatching(...) (29)";
"org.jboss.as.jaxrs.JaxrsServerConfig <-- isJaxrs20RequestMatching(...)
(29)" [style=filled, fillcolor="#cfe2f3"];
"org.jboss.as.jaxrs.deployment.JaxrsIntegrationProcessor <--
setConfigParameters(...) (19)"-
>"org.jboss.as.jaxrs.deployment.JaxrsIntegrationProcessor <--
isTransmittable(...) (30)";
"org.jboss.as.jaxrs.deployment.JaxrsIntegrationProcessor <--
isTransmittable(...) (30)" [style=filled, fillcolor="#cfe2f3"];
"org.jboss.as.jaxrs.deployment.JaxrsIntegrationProcessor <--
isTransmittable(...) (30)"->"EMPTY CLASS org.jboss.dmr.ModelType(31)";
"org.jboss.as.jaxrs.deployment.JaxrsIntegrationProcessor <--
isTransmittable(...) (30)"->"org.jboss.dmr.ModelNode <-- getType(...)
(32)";

```

```

"org.jboss.dmr.ModelNode <-- getType(...) (32)" [style=filled,
fillcolor="#cfe2f3"];
"org.jboss.dmr.ModelNode <-- getType(...) (32)"->"org.jboss.dmr.ModelNode
implements java.io.Externalizable (33)";
"org.jboss.dmr.ModelNode implements java.io.Externalizable (33)"
[style=filled, fillcolor="yellow"];
"org.jboss.dmr.ModelNode <-- getType(...) (32)"->"org.jboss.dmr.ModelNode
implements java.lang.Cloneable (35)";
"org.jboss.dmr.ModelNode implements java.lang.Cloneable (35)"
[style=filled, fillcolor="yellow"];
"org.jboss.dmr.ModelNode <-- getType(...) (32)"->"org.jboss.dmr.ModelValue
<-- getType(...) (37)";
"org.jboss.dmr.ModelValue <-- getType(...) (37)" [style=filled,
fillcolor="#cfe2f3"];
"org.jboss.dmr.ModelValue <-- getType(...) (37)"-
>"org.jboss.dmr.ModelValue implements java.lang.Cloneable (38)";
"org.jboss.dmr.ModelValue implements java.lang.Cloneable (38)"
[style=filled, fillcolor="yellow"];
"org.jboss.as.jaxrs.deployment.JaxrsIntegrationProcessor <--
isTransmittable(...) (30)"->"java.lang.Enum <-- equals(...) (40)";
"java.lang.Enum <-- equals(...) (40)" [style=filled, fillcolor="#cfe2f3"];
"java.lang.Enum <-- equals(...) (40)"->"org.jboss.dmr.ModelType extends
java.lang.Enum (41)";
"org.jboss.dmr.ModelType extends java.lang.Enum (41)" [style=filled,
fillcolor="#ff3232"];
"org.jboss.as.jaxrs.deployment.JaxrsIntegrationProcessor <--
isTransmittable(...) (30)"->"org.jboss.dmr.ModelNode <-- asString(...)
(43)";
"org.jboss.dmr.ModelNode <-- asString(...) (43)" [style=filled,
fillcolor="#cfe2f3"];
"org.jboss.dmr.ModelNode <-- asString(...) (43)"-
>"org.jboss.dmr.ModelValue <-- asString(...) (44)";
"org.jboss.dmr.ModelValue <-- asString(...) (44)" [style=filled,
fillcolor="#cfe2f3"];
"org.jboss.as.jaxrs.deployment.JaxrsIntegrationProcessor <--
isTransmittable(...) (30)"->"org.jboss.as.controller.AttributeDefinition
<-- getDefaultValue(...) (45)";
"org.jboss.as.controller.AttributeDefinition <-- getDefaultValue(...)
(45)" [style=filled, fillcolor="#cfe2f3"];
"org.jboss.as.controller.AttributeDefinition <-- getDefaultValue(...)
(45)"->"org.jboss.as.controller.AttributeDefinition implements
org.jboss.as.controller.Feature (46)";
"org.jboss.as.controller.AttributeDefinition implements
org.jboss.as.controller.Feature (46)" [style=filled, fillcolor="yellow"];
"org.jboss.as.jaxrs.deployment.JaxrsIntegrationProcessor <--
setConfigParameters(...) (19)"-
>"org.jboss.as.jaxrs.deployment.JaxrsIntegrationProcessor <--
setContextParameter(...) (48)";
"org.jboss.as.jaxrs.deployment.JaxrsIntegrationProcessor <--
setContextParameter(...) (48)" [style=filled, fillcolor="#cfe2f3"];
"org.jboss.as.jaxrs.deployment.JaxrsIntegrationProcessor <--
setContextParameter(...) (48)"-
>"org.jboss.metadata.javaee.spec.ParamValueMetaData <-- setParamName(...)
(49)";

```

```

"org.jboss.metadata.javaee.spec.ParamValueMetaData <-- setParamName(...)
(49)" [style=filled, fillcolor="#cfe2f3"];
"org.jboss.metadata.javaee.spec.ParamValueMetaData <-- setParamName(...)
(49)"->"org.jboss.metadata.javaee.spec.ParamValueMetaData extends
org.jboss.metadata.javaee.support.IdMetaDataImplWithDescriptions (50)";
"org.jboss.metadata.javaee.spec.ParamValueMetaData extends
org.jboss.metadata.javaee.support.IdMetaDataImplWithDescriptions (50)"
[style=filled, fillcolor="#ff3232"];
"org.jboss.as.jaxrs.deployment.JaxrsIntegrationProcessor <--
setContextParameter(...) (48)"-
>"org.jboss.metadata.javaee.spec.ParamValueMetaData <-- setParamValue(...)
(52)";
"org.jboss.metadata.javaee.spec.ParamValueMetaData <-- setParamValue(...)
(52)" [style=filled, fillcolor="#cfe2f3"];
"org.jboss.as.jaxrs.deployment.JaxrsIntegrationProcessor <--
setContextParameter(...) (48)"-
>"org.jboss.metadata.web.jboss.JBossWebMetaData <-- getContextParams(...)
(53)";
"org.jboss.metadata.web.jboss.JBossWebMetaData <-- getContextParams(...)
(53)" [style=filled, fillcolor="#cfe2f3"];
"org.jboss.metadata.web.jboss.JBossWebMetaData <-- getContextParams(...)
(53)"->"org.jboss.metadata.web.jboss.JBossWebMetaData extends
org.jboss.metadata.javaee.support.NamedModuleImpl (54)";
"org.jboss.metadata.web.jboss.JBossWebMetaData extends
org.jboss.metadata.javaee.support.NamedModuleImpl (54)" [style=filled,
fillcolor="#ff3232"];
"org.jboss.as.jaxrs.deployment.JaxrsIntegrationProcessor <--
setContextParameter(...) (48)"-
>"org.jboss.metadata.web.jboss.JBossWebMetaData <-- setContextParams(...)
(56)";
"org.jboss.metadata.web.jboss.JBossWebMetaData <-- setContextParams(...)
(56)" [style=filled, fillcolor="#cfe2f3"];
"org.jboss.as.jaxrs.deployment.JaxrsIntegrationProcessor <--
setConfigParameters(...) (19)"->"org.jboss.as.jaxrs.JaxrsServerConfig <--
isResteasyAddCharset(...) (57)";
"org.jboss.as.jaxrs.JaxrsServerConfig <-- isResteasyAddCharset(...) (57)"
[style=filled, fillcolor="#cfe2f3"];
"org.jboss.as.jaxrs.deployment.JaxrsIntegrationProcessor <--
setConfigParameters(...) (19)"->"org.jboss.as.jaxrs.JaxrsServerConfig <--
isResteasyBufferExceptionEntity(...) (58)";
"org.jboss.as.jaxrs.JaxrsServerConfig <--
isResteasyBufferExceptionEntity(...) (58)" [style=filled,
fillcolor="#cfe2f3"];
"org.jboss.as.jaxrs.deployment.JaxrsIntegrationProcessor <--
setConfigParameters(...) (19)"->"org.jboss.as.jaxrs.JaxrsServerConfig <--
isResteasyDisableHtmlSanitizer(...) (59)";
"org.jboss.as.jaxrs.JaxrsServerConfig <--
isResteasyDisableHtmlSanitizer(...) (59)" [style=filled,
fillcolor="#cfe2f3"];
"org.jboss.as.jaxrs.deployment.JaxrsIntegrationProcessor <--
setConfigParameters(...) (19)"->"org.jboss.as.jaxrs.JaxrsServerConfig <--
getResteasyDisableProviders(...) (60)";
"org.jboss.as.jaxrs.JaxrsServerConfig <-- getResteasyDisableProviders(...)
(60)" [style=filled, fillcolor="#cfe2f3"];

```

```

"org.jboss.as.jaxrs.deployment.JaxrsIntegrationProcessor <--
setConfigParameters(...) (19)"-
>"org.jboss.as.jaxrs.deployment.JaxrsIntegrationProcessor <--
isSubstantiveList(...) (61)";
"org.jboss.as.jaxrs.deployment.JaxrsIntegrationProcessor <--
isSubstantiveList(...) (61)" [style=filled, fillcolor="#cfe2f3"];
"org.jboss.as.jaxrs.deployment.JaxrsIntegrationProcessor <--
isSubstantiveList(...) (61)"->"org.jboss.dmr.ModelNode <-- asList(...)
(63)";
"org.jboss.dmr.ModelNode <-- asList(...) (63)" [style=filled,
fillcolor="#cfe2f3"];
"org.jboss.dmr.ModelNode <-- asList(...) (63)"->"org.jboss.dmr.ModelValue
<-- asList(...) (64)";
"org.jboss.dmr.ModelValue <-- asList(...) (64)" [style=filled,
fillcolor="#cfe2f3"];
"org.jboss.as.jaxrs.deployment.JaxrsIntegrationProcessor <--
setConfigParameters(...) (19)"-
>"org.jboss.as.jaxrs.deployment.JaxrsIntegrationProcessor <--
convertListToString(...) (65)";
"org.jboss.as.jaxrs.deployment.JaxrsIntegrationProcessor <--
convertListToString(...) (65)" [style=filled, fillcolor="#cfe2f3"];
"org.jboss.as.jaxrs.deployment.JaxrsIntegrationProcessor <--
setConfigParameters(...) (19)"->"org.jboss.as.jaxrs.JaxrsServerConfig <--
isResteasysDocumentExpandEntityReferences(...) (66)";
"org.jboss.as.jaxrs.JaxrsServerConfig <--
isResteasysDocumentExpandEntityReferences(...) (66)" [style=filled,
fillcolor="#cfe2f3"];
"org.jboss.as.jaxrs.deployment.JaxrsIntegrationProcessor <--
setConfigParameters(...) (19)"->"org.jboss.as.jaxrs.JaxrsServerConfig <--
isResteasysSecureDisableDTDs(...) (67)";
"org.jboss.as.jaxrs.JaxrsServerConfig <-- isResteasysSecureDisableDTDs(...)
(67)" [style=filled, fillcolor="#cfe2f3"];
"org.jboss.as.jaxrs.deployment.JaxrsIntegrationProcessor <--
setConfigParameters(...) (19)"->"org.jboss.as.jaxrs.JaxrsServerConfig <--
isResteasysDocumentSecureProcessingFeature(...) (68)";
"org.jboss.as.jaxrs.JaxrsServerConfig <--
isResteasysDocumentSecureProcessingFeature(...) (68)" [style=filled,
fillcolor="#cfe2f3"];
"org.jboss.as.jaxrs.deployment.JaxrsIntegrationProcessor <--
setConfigParameters(...) (19)"->"org.jboss.as.jaxrs.JaxrsServerConfig <--
getResteasysGzipMaxInput(...) (69)";
"org.jboss.as.jaxrs.JaxrsServerConfig <-- getResteasysGzipMaxInput(...)
(69)" [style=filled, fillcolor="#cfe2f3"];
"org.jboss.as.jaxrs.deployment.JaxrsIntegrationProcessor <--
setConfigParameters(...) (19)"->"org.jboss.as.jaxrs.JaxrsServerConfig <--
getResteasysJndiResources(...) (70)";
"org.jboss.as.jaxrs.JaxrsServerConfig <-- getResteasysJndiResources(...)
(70)" [style=filled, fillcolor="#cfe2f3"];
"org.jboss.as.jaxrs.deployment.JaxrsIntegrationProcessor <--
setConfigParameters(...) (19)"->"org.jboss.as.jaxrs.JaxrsServerConfig <--
getResteasysLanguageMappings(...) (71)";
"org.jboss.as.jaxrs.JaxrsServerConfig <-- getResteasysLanguageMappings(...)
(71)" [style=filled, fillcolor="#cfe2f3"];

```

```

"org.jboss.as.jaxrs.deployment.JaxrsIntegrationProcessor <--
setConfigParameters(...) (19)"-
>"org.jboss.as.jaxrs.deployment.JaxrsIntegrationProcessor <--
convertMapToString(...) (72)";
"org.jboss.as.jaxrs.deployment.JaxrsIntegrationProcessor <--
convertMapToString(...) (72)" [style=filled, fillcolor="#cfe2f3"];
"org.jboss.as.jaxrs.deployment.JaxrsIntegrationProcessor <--
convertMapToString(...) (72)"->"org.jboss.dmr.ModelNode <-- keys(...)
(73)";
"org.jboss.dmr.ModelNode <-- keys(...) (73)" [style=filled,
fillcolor="#cfe2f3"];
"org.jboss.dmr.ModelNode <-- keys(...) (73)"->"org.jboss.dmr.ModelValue <-
- getKeys(...) (74)";
"org.jboss.dmr.ModelValue <-- getKeys(...) (74)" [style=filled,
fillcolor="#cfe2f3"];
"org.jboss.as.jaxrs.deployment.JaxrsIntegrationProcessor <--
convertMapToString(...) (72)"->"org.jboss.dmr.ModelNode <-- get(...)
(75)";
"org.jboss.dmr.ModelNode <-- get(...) (75)" [style=filled,
fillcolor="#cfe2f3"];
"org.jboss.dmr.ModelNode <-- get(...) (75)"->"org.jboss.dmr.ModelNode <--
checkProtect(...) (76)";
"org.jboss.dmr.ModelNode <-- checkProtect(...) (76)" [style=filled,
fillcolor="#cfe2f3"];
"org.jboss.dmr.ModelNode <-- get(...) (75)"-
>"org.jboss.dmr.ObjectModelValue <-- CONSTRUCTOR(...) (77)";
"org.jboss.dmr.ObjectModelValue <-- CONSTRUCTOR(...) (77)" [style=filled,
fillcolor="#6fa8dc"];
"org.jboss.dmr.ObjectModelValue <-- CONSTRUCTOR(...) (77)"-
>"org.jboss.dmr.ObjectModelValue extends org.jboss.dmr.ModelValue (78)";
"org.jboss.dmr.ObjectModelValue extends org.jboss.dmr.ModelValue (78)"
[style=filled, fillcolor="#ff3232"];
"org.jboss.dmr.ObjectModelValue <-- CONSTRUCTOR(...) (77)"-
>"org.jboss.dmr.ModelValue <-- CONSTRUCTOR(...) (80)";
"org.jboss.dmr.ModelValue <-- CONSTRUCTOR(...) (80)" [style=filled,
fillcolor="#6fa8dc"];
"org.jboss.dmr.ModelNode <-- get(...) (75)"->"org.jboss.dmr.ModelValue <--
getChild(...) (81)";
"org.jboss.dmr.ModelValue <-- getChild(...) (81)" [style=filled,
fillcolor="#cfe2f3"];
"org.jboss.as.jaxrs.deployment.JaxrsIntegrationProcessor <--
setConfigParameters(...) (19)"->"org.jboss.as.jaxrs.JaxrsServerConfig <--
getResteasyMediaTypeMappings(...) (82)";
"org.jboss.as.jaxrs.JaxrsServerConfig <--
getResteasyMediaTypeMappings(...) (82)" [style=filled,
fillcolor="#cfe2f3"];
"org.jboss.as.jaxrs.deployment.JaxrsIntegrationProcessor <--
setConfigParameters(...) (19)"->"org.jboss.as.jaxrs.JaxrsServerConfig <--
getResteasyMediaTypeParamMapping(...) (83)";
"org.jboss.as.jaxrs.JaxrsServerConfig <--
getResteasyMediaTypeParamMapping(...) (83)" [style=filled,
fillcolor="#cfe2f3"];

```

```

"org.jboss.as.jaxrs.deployment.JaxrsIntegrationProcessor <--
setConfigParameters(...) (19)"->"org.jboss.as.jaxrs.JaxrsServerConfig <--
isResteasyPreferJacksonOverJsonB(...) (84)";
"org.jboss.as.jaxrs.JaxrsServerConfig <--
isResteasyPreferJacksonOverJsonB(...) (84)" [style=filled,
fillcolor="#cfe2f3"];
"org.jboss.as.jaxrs.deployment.JaxrsIntegrationProcessor <--
setConfigParameters(...) (19)"->"org.jboss.as.jaxrs.JaxrsServerConfig <--
getResteasyProviders(...) (85)";
"org.jboss.as.jaxrs.JaxrsServerConfig <-- getResteasyProviders(...) (85)"
[style=filled, fillcolor="#cfe2f3"];
"org.jboss.as.jaxrs.deployment.JaxrsIntegrationProcessor <--
setConfigParameters(...) (19)"->"org.jboss.as.jaxrs.JaxrsServerConfig <--
isResteasyRFC7232Preconditions(...) (86)";
"org.jboss.as.jaxrs.JaxrsServerConfig <--
isResteasyRFC7232Preconditions(...) (86)" [style=filled,
fillcolor="#cfe2f3"];
"org.jboss.as.jaxrs.deployment.JaxrsIntegrationProcessor <--
setConfigParameters(...) (19)"->"org.jboss.as.jaxrs.JaxrsServerConfig <--
isResteasyRoleBasedSecurity(...) (87)";
"org.jboss.as.jaxrs.JaxrsServerConfig <-- isResteasyRoleBasedSecurity(...)
(87)" [style=filled, fillcolor="#cfe2f3"];
"org.jboss.as.jaxrs.deployment.JaxrsIntegrationProcessor <--
setConfigParameters(...) (19)"->"org.jboss.as.jaxrs.JaxrsServerConfig <--
getResteasySecureRandomMaxUse(...) (88)";
"org.jboss.as.jaxrs.JaxrsServerConfig <--
getResteasySecureRandomMaxUse(...) (88)" [style=filled,
fillcolor="#cfe2f3"];
"org.jboss.as.jaxrs.deployment.JaxrsIntegrationProcessor <--
setConfigParameters(...) (19)"->"org.jboss.as.jaxrs.JaxrsServerConfig <--
isResteasyUseBuiltinProviders(...) (89)";
"org.jboss.as.jaxrs.JaxrsServerConfig <--
isResteasyUseBuiltinProviders(...) (89)" [style=filled,
fillcolor="#cfe2f3"];
"org.jboss.as.jaxrs.deployment.JaxrsIntegrationProcessor <--
setConfigParameters(...) (19)"->"org.jboss.as.jaxrs.JaxrsServerConfig <--
isResteasyUseContainerFormParams(...) (90)";
"org.jboss.as.jaxrs.JaxrsServerConfig <--
isResteasyUseContainerFormParams(...) (90)" [style=filled,
fillcolor="#cfe2f3"];
"org.jboss.as.jaxrs.deployment.JaxrsIntegrationProcessor <--
setConfigParameters(...) (19)"->"org.jboss.as.jaxrs.JaxrsServerConfig <--
isResteasyWiderRequestMatching(...) (91)";
"org.jboss.as.jaxrs.JaxrsServerConfig <--
isResteasyWiderRequestMatching(...) (91)" [style=filled,
fillcolor="#cfe2f3"];
"org.jboss.as.jaxrs.deployment.JaxrsIntegrationProcessor <--
setConfigParameters(...) (19)"->"org.jboss.as.jaxrs.JaxrsServerConfig <--
getContextParameters(...) (92)";
"org.jboss.as.jaxrs.JaxrsServerConfig <-- getContextParameters(...) (92)"
[style=filled, fillcolor="#cfe2f3"];
"start_0">"EMPTY CLASS
org.jboss.as.jaxrs.deployment.JaxrsAttachments(93)";
"start_0">"EMPTY CLASS org.jboss.as.server.deployment.Attachments(95)";

```

```

"start_0"->"org.jboss.as.jaxrs.deployment.WildFlyConfigurationFactory <--
getInstance(...) (98)";
"org.jboss.as.jaxrs.deployment.WildFlyConfigurationFactory <--
getInstance(...) (98)" [style=filled, fillcolor="#cfe2f3"];
"org.jboss.as.jaxrs.deployment.WildFlyConfigurationFactory <--
getInstance(...) (98)"-
>"org.jboss.as.jaxrs.deployment.WildFlyConfigurationFactory implements
org.jboss.resteasy.spi.config.ConfigurationFactory (99)";
"org.jboss.as.jaxrs.deployment.WildFlyConfigurationFactory implements
org.jboss.resteasy.spi.config.ConfigurationFactory (99)" [style=filled,
fillcolor="yellow"];
"org.jboss.as.jaxrs.deployment.WildFlyConfigurationFactory <--
getInstance(...) (98)"-
>"org.jboss.resteasy.spi.config.ConfigurationFactory <-- getInstance(...)
(101)";
"org.jboss.resteasy.spi.config.ConfigurationFactory <-- getInstance(...)
(101)" [style=filled, fillcolor="#cfe2f3"];
"org.jboss.resteasy.spi.config.ConfigurationFactory <-- getInstance(...)
(101)"->"org.jboss.resteasy.spi.config.SingletonConfigurationFactory <--
getInstance(...) (102)";
"org.jboss.resteasy.spi.config.SingletonConfigurationFactory <--
getInstance(...) (102)" [style=filled, fillcolor="#cfe2f3"];
"org.jboss.resteasy.spi.config.SingletonConfigurationFactory <--
getInstance(...) (102)"->"EMPTY CLASS
org.jboss.resteasy.spi.config.SingletonConfigurationFactory$Holder(103)";
"org.jboss.as.jaxrs.deployment.WildFlyConfigurationFactory <--
getInstance(...) (98)"->"EMPTY CLASS
org.jboss.as.jaxrs.logging.JaxrsLogger(104)";
"org.jboss.as.jaxrs.deployment.WildFlyConfigurationFactory <--
getInstance(...) (98)"->"java.lang.Object <-- getClass(...) (105)";
"java.lang.Object <-- getClass(...) (105)" [style=filled,
fillcolor="#cfe2f3"];
"org.jboss.as.jaxrs.deployment.WildFlyConfigurationFactory <--
getInstance(...) (98)"->"org.jboss.as.jaxrs.logging.JaxrsLogger <--
invalidConfigurationFactory(...) (106)";
"org.jboss.as.jaxrs.logging.JaxrsLogger <--
invalidConfigurationFactory(...) (106)" [style=filled,
fillcolor="#cfe2f3"];
"org.jboss.as.jaxrs.logging.JaxrsLogger <--
invalidConfigurationFactory(...) (106)"-
>"org.jboss.as.jaxrs.logging.JaxrsLogger implements
org.jboss.logging.BasicLogger (107)";
"org.jboss.as.jaxrs.logging.JaxrsLogger implements
org.jboss.logging.BasicLogger (107)" [style=filled, fillcolor="yellow"];
"start_0"->"org.jboss.modules.Module <-- getClassLoader(...) (109)";
"org.jboss.modules.Module <-- getClassLoader(...) (109)" [style=filled,
fillcolor="#cfe2f3"];
"start_0"->"org.jboss.as.controller.capability.CapabilityServiceSupport <-
- hasCapability(...) (110)";
"org.jboss.as.controller.capability.CapabilityServiceSupport <--
hasCapability(...) (110)" [style=filled, fillcolor="#cfe2f3"];
"org.jboss.as.controller.capability.CapabilityServiceSupport <--
hasCapability(...) (110)"-
>"org.jboss.as.controller.capability.CapabilityServiceSupport implements

```



```

org.jboss.as.controller.capability.CapabilityServiceDescriptorResolver
(111)";
"org.jboss.as.controller.capability.CapabilityServiceSupport implements
org.jboss.as.controller.capability.CapabilityServiceDescriptorResolver
(111)" [style=filled, fillcolor="yellow"];
"start_0"->"org.jboss.as.jaxrs.deployment.WildFlyConfigurationFactory <--
register(...) (113)";
"org.jboss.as.jaxrs.deployment.WildFlyConfigurationFactory <--
register(...) (113)" [style=filled, fillcolor="#cfe2f3"];
"org.jboss.as.jaxrs.deployment.WildFlyConfigurationFactory <--
register(...) (113)"-
>"org.jboss.as.jaxrs.deployment.WildFlyConfigurationFactory <--
createDelegate(...) (114)";
"org.jboss.as.jaxrs.deployment.WildFlyConfigurationFactory <--
createDelegate(...) (114)" [style=filled, fillcolor="#cfe2f3"];
"org.jboss.as.jaxrs.deployment.WildFlyConfigurationFactory <--
createDelegate(...) (114)"-
>"org.jboss.as.jaxrs.deployment.WildFlyConfigurationFactory <--
getMpConfigFactory(...) (115)";
"org.jboss.as.jaxrs.deployment.WildFlyConfigurationFactory <--
getMpConfigFactory(...) (115)" [style=filled, fillcolor="#cfe2f3"];
"org.jboss.as.jaxrs.deployment.WildFlyConfigurationFactory <--
createDelegate(...) (114)"->"org.jboss.as.jaxrs.logging.JaxrsLogger <--
failedToLoadConfigurationFactory(...) (116)";
"org.jboss.as.jaxrs.logging.JaxrsLogger <--
failedToLoadConfigurationFactory(...) (116)" [style=filled,
fillcolor="#cfe2f3"];
"start_0"->"org.jboss.metadata.javaee.spec.ParamValueMetaData <--
getParamName(...) (117)";
"org.jboss.metadata.javaee.spec.ParamValueMetaData <-- getParamName(...)
(117)" [style=filled, fillcolor="#cfe2f3"];
"start_0"->"org.jboss.as.server.deployment.module.ModuleSpecification <--
getAllDependencies(...) (120)";
"org.jboss.as.server.deployment.module.ModuleSpecification <--
getAllDependencies(...) (120)" [style=filled, fillcolor="#cfe2f3"];
"org.jboss.as.server.deployment.module.ModuleSpecification <--
getAllDependencies(...) (120)"-
>"org.jboss.as.server.deployment.module.ModuleSpecification extends
org.jboss.as.server.deployment.SimpleAttachable (121)";
"org.jboss.as.server.deployment.module.ModuleSpecification extends
org.jboss.as.server.deployment.SimpleAttachable (121)" [style=filled,
fillcolor="#ff3232"];
"start_0"->"org.jboss.as.server.deployment.module.ModuleDependency <--
getIdentifier(...) (123)";
"org.jboss.as.server.deployment.module.ModuleDependency <--
getIdentifier(...) (123)" [style=filled, fillcolor="#cfe2f3"];
"org.jboss.as.server.deployment.module.ModuleDependency <--
getIdentifier(...) (123)"-
>"org.jboss.as.server.deployment.module.ModuleDependency implements
java.io.Serializable (124)";
"org.jboss.as.server.deployment.module.ModuleDependency implements
java.io.Serializable (124)" [style=filled, fillcolor="yellow"];
"start_0"->"org.jboss.as.jaxrs.deployment.ResteasyDeploymentData <--
merge(...) (126)";

```

```

"org.jboss.as.jaxrs.deployment.ResteasyDeploymentData <-- merge(...)
(126)" [style=filled, fillcolor="#cfe2f3"];
"org.jboss.as.jaxrs.deployment.ResteasyDeploymentData <-- merge(...)
(126)"->"org.jboss.as.jaxrs.deployment.ResteasyDeploymentData <--
getScannedApplicationClasses(...) (127)";
"org.jboss.as.jaxrs.deployment.ResteasyDeploymentData <--
getScannedApplicationClasses(...) (127)" [style=filled,
fillcolor="#cfe2f3"];
"org.jboss.as.jaxrs.deployment.ResteasyDeploymentData <-- merge(...)
(126)"->"org.jboss.as.jaxrs.deployment.ResteasyDeploymentData <--
getScannedResourceClasses(...) (128)";
"org.jboss.as.jaxrs.deployment.ResteasyDeploymentData <--
getScannedResourceClasses(...) (128)" [style=filled, fillcolor="#cfe2f3"];
"org.jboss.as.jaxrs.deployment.ResteasyDeploymentData <-- merge(...)
(126)"->"org.jboss.as.jaxrs.deployment.ResteasyDeploymentData <--
getScannedJndiComponentResources(...) (129)";
"org.jboss.as.jaxrs.deployment.ResteasyDeploymentData <--
getScannedJndiComponentResources(...) (129)" [style=filled,
fillcolor="#cfe2f3"];
"org.jboss.as.jaxrs.deployment.ResteasyDeploymentData <-- merge(...)
(126)"->"org.jboss.as.jaxrs.deployment.ResteasyDeploymentData <--
getScannedProviderClasses(...) (130)";
"org.jboss.as.jaxrs.deployment.ResteasyDeploymentData <--
getScannedProviderClasses(...) (130)" [style=filled, fillcolor="#cfe2f3"];
"start_0"->"java.lang.Object <-- debugf(...) (131)";
"java.lang.Object <-- debugf(...) (131)" [style=filled,
fillcolor="#cfe2f3"];
"start_0"->"org.jboss.as.jaxrs.deployment.ResteasyDeploymentData <--
getScannedProviderClasses(...) (132)";
"org.jboss.as.jaxrs.deployment.ResteasyDeploymentData <--
getScannedProviderClasses(...) (132)" [style=filled, fillcolor="#cfe2f3"];
"start_0"->"org.jboss.as.jaxrs.deployment.ResteasyDeploymentData <--
isUnwrappedExceptionsParameterSet(...) (135)";
"org.jboss.as.jaxrs.deployment.ResteasyDeploymentData <--
isUnwrappedExceptionsParameterSet(...) (135)" [style=filled,
fillcolor="#cfe2f3"];
"start_0"->"org.jboss.as.jaxrs.deployment.JaxrsIntegrationProcessor <--
findContextParam(...) (136)";
"org.jboss.as.jaxrs.deployment.JaxrsIntegrationProcessor <--
findContextParam(...) (136)" [style=filled, fillcolor="#cfe2f3"];
"start_0"->"org.wildfly.security.manager.WildFlySecurityManager <--
getPropertyPrivileged(...) (137)";
"org.wildfly.security.manager.WildFlySecurityManager <--
getPropertyPrivileged(...) (137)" [style=filled, fillcolor="#cfe2f3"];
"org.wildfly.security.manager.WildFlySecurityManager <--
getPropertyPrivileged(...) (137)"-
>"org.wildfly.security.manager.WildFlySecurityManager extends
java.lang.SecurityManager (138)";
"org.wildfly.security.manager.WildFlySecurityManager extends
java.lang.SecurityManager (138)" [style=filled, fillcolor="#ff3232"];
"org.wildfly.security.manager.WildFlySecurityManager <--
getPropertyPrivileged(...) (137)"-
>"org.wildfly.security.manager.WildFlySecurityManager implements
org.wildfly.security.permission.PermissionVerifier (140)";

```

```

"org.wildfly.security.manager.WildFlySecurityManager implements
org.wildfly.security.permission.PermissionVerifier (140)" [style=filled,
fillcolor="yellow"];
"org.wildfly.security.manager.WildFlySecurityManager <--
getPropertyPrivileged(...) (137)"->"EMPTY CLASS
org.wildfly.security.manager.WildFlySecurityManager$Context(142)";
"org.wildfly.security.manager.WildFlySecurityManager <--
getPropertyPrivileged(...) (137)"-
>"org.wildfly.security.manager.WildFlySecurityManager <--
getCallerClass(...) (143)";
"org.wildfly.security.manager.WildFlySecurityManager <--
getCallerClass(...) (143)" [style=filled, fillcolor="#cfe2f3"];
"org.wildfly.security.manager.WildFlySecurityManager <--
getCallerClass(...) (143)"->"org.wildfly.security.manager.JDKSpecific <--
getCallerClass(...) (144)";
"org.wildfly.security.manager.JDKSpecific <-- getCallerClass(...) (144)"
[style=filled, fillcolor="#cfe2f3"];
"org.wildfly.security.manager.WildFlySecurityManager <--
getCallerClass(...) (143)"-
>"org.wildfly.security.manager.WildFlySecurityManager <--
getCallStack(...) (145)";
"org.wildfly.security.manager.WildFlySecurityManager <-- getCallStack(...)
(145)" [style=filled, fillcolor="#cfe2f3"];
"org.wildfly.security.manager.WildFlySecurityManager <-- getCallStack(...)
(145)"->"java.lang.SecurityManager <-- getClassContext(...) (146)";
"java.lang.SecurityManager <-- getClassContext(...) (146)" [style=filled,
fillcolor="#cfe2f3"];
"org.wildfly.security.manager.WildFlySecurityManager <--
getPropertyPrivileged(...) (137)"-
>"org.wildfly.security.manager.WildFlySecurityManager <--
checkPropertyReadPermission(...) (147)";
"org.wildfly.security.manager.WildFlySecurityManager <--
checkPropertyReadPermission(...) (147)" [style=filled,
fillcolor="#cfe2f3"];
"org.wildfly.security.manager.WildFlySecurityManager <--
checkPropertyReadPermission(...) (147)"-
>"org.wildfly.security.manager.action.GetProtectionDomainAction <--
CONSTRUCTOR(...) (148)";
"org.wildfly.security.manager.action.GetProtectionDomainAction <--
CONSTRUCTOR(...) (148)" [style=filled, fillcolor="#6fa8dc"];
"org.wildfly.security.manager.action.GetProtectionDomainAction <--
CONSTRUCTOR(...) (148)"-
>"org.wildfly.security.manager.action.GetProtectionDomainAction implements
java.security.PrivilegedAction (149)";
"org.wildfly.security.manager.action.GetProtectionDomainAction implements
java.security.PrivilegedAction (149)" [style=filled, fillcolor="yellow"];
"org.wildfly.security.manager.WildFlySecurityManager <--
checkPropertyReadPermission(...) (147)"-
>"org.wildfly.security.manager.action.GetClassLoaderAction <--
CONSTRUCTOR(...) (151)";
"org.wildfly.security.manager.action.GetClassLoaderAction <--
CONSTRUCTOR(...) (151)" [style=filled, fillcolor="#6fa8dc"];
"org.wildfly.security.manager.action.GetClassLoaderAction <--
CONSTRUCTOR(...) (151)"-

```

```

>"org.wildfly.security.manager.action.GetClassLoaderAction implements
java.security.PrivilegedAction (152)";
"org.wildfly.security.manager.action.GetClassLoaderAction implements
java.security.PrivilegedAction (152)" [style=filled, fillcolor="yellow"];
"org.wildfly.security.manager.WildFlySecurityManager <--
checkPropertyReadPermission(...) (147)"->"EMPTY CLASS
org.wildfly.security.manager._private.SecurityMessages(154)";
"org.wildfly.security.manager.WildFlySecurityManager <--
checkPropertyReadPermission(...) (147)"-
>"org.wildfly.security.manager._private.SecurityMessages <--
accessCheckFailed(...) (155)";
"org.wildfly.security.manager._private.SecurityMessages <--
accessCheckFailed(...) (155)" [style=filled, fillcolor="#cfe2f3"];
"org.wildfly.security.manager._private.SecurityMessages <--
accessCheckFailed(...) (155)"-
>"org.wildfly.security.manager._private.SecurityMessages implements
org.jboss.logging.BasicLogger (156)";
"org.wildfly.security.manager._private.SecurityMessages implements
org.jboss.logging.BasicLogger (156)" [style=filled, fillcolor="yellow"];
"org.wildfly.security.manager.WildFlySecurityManager <--
checkPropertyReadPermission(...) (147)"-
>"org.wildfly.security.manager._private.SecurityMessages <--
accessControlException(...) (158)";
"org.wildfly.security.manager._private.SecurityMessages <--
accessControlException(...) (158)" [style=filled, fillcolor="#cfe2f3"];
"org.wildfly.security.manager.WildFlySecurityManager <--
getPropertyPrivileged(...) (137)"-
>"org.wildfly.security.manager.WildFlySecurityManager <--
getCallerAccessControlContext(...) (159)";
"org.wildfly.security.manager.WildFlySecurityManager <--
getCallerAccessControlContext(...) (159)" [style=filled,
fillcolor="#cfe2f3"];
"org.wildfly.security.manager.WildFlySecurityManager <--
getPropertyPrivileged(...) (137)"-
>"org.wildfly.security.manager.action.ReadPropertyAction <--
CONSTRUCTOR(...) (160)";
"org.wildfly.security.manager.action.ReadPropertyAction <--
CONSTRUCTOR(...) (160)" [style=filled, fillcolor="#6fa8dc"];
"org.wildfly.security.manager.action.ReadPropertyAction <--
CONSTRUCTOR(...) (160)"-
>"org.wildfly.security.manager.action.ReadPropertyAction implements
java.security.PrivilegedAction (161)";
"org.wildfly.security.manager.action.ReadPropertyAction implements
java.security.PrivilegedAction (161)" [style=filled, fillcolor="yellow"];
"start_0"->"org.jboss.as.jaxrs.deployment.JaxrsIntegrationProcessor <--
hasJacksonAnnotations(...) (163)";
"org.jboss.as.jaxrs.deployment.JaxrsIntegrationProcessor <--
hasJacksonAnnotations(...) (163)" [style=filled, fillcolor="#cfe2f3"];
"org.jboss.as.jaxrs.deployment.JaxrsIntegrationProcessor <--
hasJacksonAnnotations(...) (163)"->"org.jboss.as.jaxrs.Jackson2Annotations
<-- values(...) (165)";
"org.jboss.as.jaxrs.Jackson2Annotations <-- values(...) (165)"
[style=filled, fillcolor="#cfe2f3"];

```

```

"org.jboss.as.jaxrs.Jackson2Annotations <-- values(...) (165)"-
>"org.jboss.as.jaxrs.Jackson2Annotations extends java.lang.Enum (166)";
"org.jboss.as.jaxrs.Jackson2Annotations extends java.lang.Enum (166)"
[style=filled, fillcolor="#ff3232"];
"org.jboss.as.jaxrs.deployment.JaxrsIntegrationProcessor <--
hasJacksonAnnotations(...) (163)"->"org.jboss.as.jaxrs.Jackson2Annotations
<-- getDotName(...) (168)";
"org.jboss.as.jaxrs.Jackson2Annotations <-- getDotName(...) (168)"
[style=filled, fillcolor="#cfe2f3"];
"org.jboss.as.jaxrs.deployment.JaxrsIntegrationProcessor <--
hasJacksonAnnotations(...) (163)"-
>"org.jboss.as.jaxrs.deployment.JaxrsIntegrationProcessor <--
checkAnnotation(...) (169)";
"org.jboss.as.jaxrs.deployment.JaxrsIntegrationProcessor <--
checkAnnotation(...) (169)" [style=filled, fillcolor="#cfe2f3"];
"org.jboss.as.jaxrs.deployment.JaxrsIntegrationProcessor <--
checkAnnotation(...) (169)"-
>"org.jboss.as.server.deployment.annotation.CompositeIndex <--
getAnnotations(...) (170)";
"org.jboss.as.server.deployment.annotation.CompositeIndex <--
getAnnotations(...) (170)" [style=filled, fillcolor="#cfe2f3"];
"org.jboss.as.server.deployment.annotation.CompositeIndex <--
getAnnotations(...) (170)"->"org.jboss.jandex.Index <--
getAnnotations(...) (171)";
"org.jboss.jandex.Index <-- getAnnotations(...) (171)" [style=filled,
fillcolor="#cfe2f3"];
"org.jboss.jandex.Index <-- getAnnotations(...) (171)"-
>"org.jboss.jandex.Index implements org.jboss.jandex.IndexView (172)";
"org.jboss.jandex.Index implements org.jboss.jandex.IndexView (172)"
[style=filled, fillcolor="yellow"];
"org.jboss.as.jaxrs.deployment.JaxrsIntegrationProcessor <--
checkAnnotation(...) (169)"->"org.jboss.as.jaxrs.logging.JaxrsLogger <--
jacksonAnnotationDetected(...) (174)";
"org.jboss.as.jaxrs.logging.JaxrsLogger <-- jacksonAnnotationDetected(...)
(174)" [style=filled, fillcolor="#cfe2f3"];
"org.jboss.as.jaxrs.deployment.JaxrsIntegrationProcessor <--
hasJacksonAnnotations(...) (163)"->"org.jboss.as.jaxrs.JacksonAnnotations
<-- values(...) (175)";
"org.jboss.as.jaxrs.JacksonAnnotations <-- values(...) (175)"
[style=filled, fillcolor="#cfe2f3"];
"org.jboss.as.jaxrs.JacksonAnnotations <-- values(...) (175)"-
>"org.jboss.as.jaxrs.JacksonAnnotations extends java.lang.Enum (176)";
"org.jboss.as.jaxrs.JacksonAnnotations extends java.lang.Enum (176)"
[style=filled, fillcolor="#ff3232"];
"org.jboss.as.jaxrs.deployment.JaxrsIntegrationProcessor <--
hasJacksonAnnotations(...) (163)"->"org.jboss.as.jaxrs.JacksonAnnotations
<-- getDotName(...) (178)";
"org.jboss.as.jaxrs.JacksonAnnotations <-- getDotName(...) (178)"
[style=filled, fillcolor="#cfe2f3"];
"start_0"->"org.jboss.as.jaxrs.deployment.ResteasyDeploymentData <--
hasBootClasses(...) (179)";
"org.jboss.as.jaxrs.deployment.ResteasyDeploymentData <--
hasBootClasses(...) (179)" [style=filled, fillcolor="#cfe2f3"];

```

```

"start_0"->"org.jboss.as.jaxrs.deployment.ResteasyDeploymentData <--
isDispatcherCreated(...) (180)";
"org.jboss.as.jaxrs.deployment.ResteasyDeploymentData <--
isDispatcherCreated(...) (180)" [style=filled, fillcolor="#cfe2f3"];
"start_0"->"org.jboss.as.jaxrs.deployment.JaxrsIntegrationProcessor <--
addManagement(...) (181)";
"org.jboss.as.jaxrs.deployment.JaxrsIntegrationProcessor <--
addManagement(...) (181)" [style=filled, fillcolor="#cfe2f3"];
"org.jboss.as.jaxrs.deployment.JaxrsIntegrationProcessor <--
addManagement(...) (181)"->"org.jboss.as.controller.PathElement <--
pathElement(...) (183)";
"org.jboss.as.controller.PathElement <-- pathElement(...) (183)"
[style=filled, fillcolor="#cfe2f3"];
"org.jboss.as.controller.PathElement <-- pathElement(...) (183)"-
>"org.jboss.as.controller.PathElement <-- CONSTRUCTOR(...) (184)";
"org.jboss.as.controller.PathElement <-- CONSTRUCTOR(...) (184)"
[style=filled, fillcolor="#6fa8dc"];
"org.jboss.as.controller.PathElement <-- CONSTRUCTOR(...) (184)"-
>"org.jboss.as.controller.PathElement <-- isValidKey(...) (185)";
"org.jboss.as.controller.PathElement <-- isValidKey(...) (185)"
[style=filled, fillcolor="#cfe2f3"];
"org.jboss.as.controller.PathElement <-- isValidKey(...) (185)"-
>"org.jboss.as.controller.PathElement <-- isValidKeyStartCharacter(...)
(186)";
"org.jboss.as.controller.PathElement <-- isValidKeyStartCharacter(...)
(186)" [style=filled, fillcolor="#cfe2f3"];
"org.jboss.as.controller.PathElement <-- isValidKey(...) (185)"-
>"org.jboss.as.controller.PathElement <-- isValidKeyCharacter(...) (187)";
"org.jboss.as.controller.PathElement <-- isValidKeyCharacter(...) (187)"
[style=filled, fillcolor="#cfe2f3"];
"org.jboss.as.controller.PathElement <-- isValidKey(...) (185)"-
>"org.jboss.as.controller.PathElement <-- isValidKeyEndCharacter(...)
(188)";
"org.jboss.as.controller.PathElement <-- isValidKeyEndCharacter(...)
(188)" [style=filled, fillcolor="#cfe2f3"];
"org.jboss.as.controller.PathElement <-- CONSTRUCTOR(...) (184)"->"EMPTY
CLASS org.jboss.as.controller.logging.ControllerLogger(189)";
"org.jboss.as.controller.PathElement <-- CONSTRUCTOR(...) (184)"-
>"org.jboss.as.controller.logging.ControllerLogger <--
invalidPathElementKey(...) (190)";
"org.jboss.as.controller.logging.ControllerLogger <--
invalidPathElementKey(...) (190)" [style=filled, fillcolor="#cfe2f3"];
"org.jboss.as.controller.logging.ControllerLogger <--
invalidPathElementKey(...) (190)"-
>"org.jboss.as.controller.logging.ControllerLogger implements
org.jboss.logging.BasicLogger (191)";
"org.jboss.as.controller.logging.ControllerLogger implements
org.jboss.logging.BasicLogger (191)" [style=filled, fillcolor="yellow"];
"org.jboss.as.controller.PathElement <-- CONSTRUCTOR(...) (184)"-
>"org.jboss.as.controller.PathElement$OperationClientIllegalArgumentExcepti
on <-- CONSTRUCTOR(...) (193)";
"org.jboss.as.controller.PathElement$OperationClientIllegalArgumentExcepti
on <-- CONSTRUCTOR(...) (193)" [style=filled, fillcolor="#6fa8dc"];

```

```

"org.jboss.as.controller.PathElement$OperationClientIllegalArgumentExcepti
on <-- CONSTRUCTOR(...) (193)"-
>"org.jboss.as.controller.PathElement$OperationClientIllegalArgumentExcept
ion extends java.lang.IllegalArgumentException (194)";
"org.jboss.as.controller.PathElement$OperationClientIllegalArgumentExcepti
on extends java.lang.IllegalArgumentException (194)" [style=filled,
fillcolor="#ff3232"];
"org.jboss.as.controller.PathElement$OperationClientIllegalArgumentExcepti
on <-- CONSTRUCTOR(...) (193)"-
>"org.jboss.as.controller.PathElement$OperationClientIllegalArgumentExcept
ion implements org.jboss.as.controller.OperationClientException (196)";
"org.jboss.as.controller.PathElement$OperationClientIllegalArgumentExcepti
on implements org.jboss.as.controller.OperationClientException (196)"
[style=filled, fillcolor="yellow"];
"org.jboss.as.controller.PathElement <-- CONSTRUCTOR(...) (184)"-
>"org.jboss.as.controller.logging.ControllerLogger <--
invalidPathElementValue(...) (198)";
"org.jboss.as.controller.logging.ControllerLogger <--
invalidPathElementValue(...) (198)" [style=filled, fillcolor="#cfe2f3"];
"org.jboss.as.jaxrs.deployment.JaxrsIntegrationProcessor <--
addManagement(...) (181)"-
>"org.jboss.as.server.deployment.DeploymentResourceSupport <--
getDeploymentSubModel(...) (199)";
"org.jboss.as.server.deployment.DeploymentResourceSupport <--
getDeploymentSubModel(...) (199)" [style=filled, fillcolor="#cfe2f3"];
"org.jboss.as.server.deployment.DeploymentResourceSupport <--
getDeploymentSubModel(...) (199)"-
>"org.jboss.as.server.deployment.DeploymentResourceSupport <--
getDeploymentSubModel(...) (200)";
"org.jboss.as.server.deployment.DeploymentResourceSupport <--
getDeploymentSubModel(...) (200)" [style=filled, fillcolor="#cfe2f3"];
"org.jboss.as.server.deployment.DeploymentResourceSupport <--
getDeploymentSubModel(...) (200)"-
>"org.jboss.as.server.deployment.DeploymentResourceSupport <--
getOrCreate(...) (203)";
"org.jboss.as.server.deployment.DeploymentResourceSupport <--
getOrCreate(...) (203)" [style=filled, fillcolor="#cfe2f3"];
"org.jboss.as.server.deployment.DeploymentResourceSupport <--
getOrCreate(...) (203)"->"org.jboss.as.controller.registry.Resource <--
hasChild(...) (204)";
"org.jboss.as.controller.registry.Resource <-- hasChild(...) (204)"
[style=filled, fillcolor="#cfe2f3"];
"org.jboss.as.controller.registry.Resource <-- hasChild(...) (204)"-
>"org.jboss.as.controller.registry.Resource implements java.lang.Cloneable
(205)";
"org.jboss.as.controller.registry.Resource implements java.lang.Cloneable
(205)" [style=filled, fillcolor="yellow"];
"org.jboss.as.server.deployment.DeploymentResourceSupport <--
getOrCreate(...) (203)"->"org.jboss.as.controller.registry.Resource <--
requireChild(...) (207)";
"org.jboss.as.controller.registry.Resource <-- requireChild(...) (207)"
[style=filled, fillcolor="#cfe2f3"];
"org.jboss.as.server.deployment.DeploymentResourceSupport <--
getOrCreate(...) (203)"-

```

```

>"org.jboss.as.server.deployment.DeploymentResourceSupport <--
register(...) (208)";
"org.jboss.as.server.deployment.DeploymentResourceSupport <--
register(...) (208)" [style=filled, fillcolor="#cfe2f3"];
"org.jboss.as.server.deployment.DeploymentResourceSupport <--
register(...) (208)"->"org.jboss.as.controller.registry.Resource$Factory
<-- create(...) (209)";
"org.jboss.as.controller.registry.Resource$Factory <-- create(...) (209)"
[style=filled, fillcolor="#cfe2f3"];
"org.jboss.as.controller.registry.Resource$Factory <-- create(...) (209)"-
>"org.jboss.as.controller.registry.BasicResource <-- CONSTRUCTOR(...)
(210)";
"org.jboss.as.controller.registry.BasicResource <-- CONSTRUCTOR(...)
(210)" [style=filled, fillcolor="#6fa8dc"];
"org.jboss.as.controller.registry.BasicResource <-- CONSTRUCTOR(...)
(210)"->"org.jboss.as.controller.registry.BasicResource extends
org.jboss.as.controller.registry.AbstractModelResource (211)";
"org.jboss.as.controller.registry.BasicResource extends
org.jboss.as.controller.registry.AbstractModelResource (211)"
[style=filled, fillcolor="#ff3232"];
"org.jboss.as.controller.registry.BasicResource <-- CONSTRUCTOR(...)
(210)"->"org.jboss.as.controller.registry.BasicResource implements
org.jboss.as.controller.registry.Resource (213)";
"org.jboss.as.controller.registry.BasicResource implements
org.jboss.as.controller.registry.Resource (213)" [style=filled,
fillcolor="yellow"];
"org.jboss.as.controller.registry.BasicResource <-- CONSTRUCTOR(...)
(210)"->"org.jboss.as.controller.registry.AbstractModelResource <--
CONSTRUCTOR(...) (215)";
"org.jboss.as.controller.registry.AbstractModelResource <--
CONSTRUCTOR(...) (215)" [style=filled, fillcolor="#6fa8dc"];
"org.jboss.as.controller.registry.AbstractModelResource <--
CONSTRUCTOR(...) (215)"-
>"org.jboss.as.controller.registry.AbstractModelResource extends
org.jboss.as.controller.registry.ResourceProvider$ResourceProviderRegistry
(216)";
"org.jboss.as.controller.registry.AbstractModelResource extends
org.jboss.as.controller.registry.ResourceProvider$ResourceProviderRegistry
(216)" [style=filled, fillcolor="#ff3232"];
"org.jboss.as.controller.registry.AbstractModelResource <--
CONSTRUCTOR(...) (215)"-
>"org.jboss.as.controller.registry.AbstractModelResource implements
org.jboss.as.controller.registry.Resource (218)";
"org.jboss.as.controller.registry.AbstractModelResource implements
org.jboss.as.controller.registry.Resource (218)" [style=filled,
fillcolor="yellow"];
"org.jboss.as.controller.registry.AbstractModelResource <--
CONSTRUCTOR(...) (215)"-
>"org.jboss.as.controller.registry.AbstractModelResource <--
CONSTRUCTOR(...) (220)";
"org.jboss.as.controller.registry.AbstractModelResource <--
CONSTRUCTOR(...) (220)" [style=filled, fillcolor="#6fa8dc"];
"org.jboss.as.controller.registry.AbstractModelResource <--
CONSTRUCTOR(...) (220)"-

```



```

>"org.jboss.as.controller.registry.ResourceProvider$ResourceProviderRegistry <-- CONSTRUCTOR(...) (221)";
"org.jboss.as.controller.registry.ResourceProvider$ResourceProviderRegistry <-- CONSTRUCTOR(...) (221)" [style=filled, fillcolor="#6fa8dc"];
"org.jboss.as.controller.registry.BasicResource <-- CONSTRUCTOR(...) (210)"->"org.jboss.dmr.ModelNode <-- CONSTRUCTOR(...) (222)";
"org.jboss.dmr.ModelNode <-- CONSTRUCTOR(...) (222)" [style=filled, fillcolor="#6fa8dc"];
"org.jboss.as.server.deployment.DeploymentResourceSupport <-- register(...) (208)"->"org.jboss.as.controller.registry.Resource <-- isRuntime(...) (223)";
"org.jboss.as.controller.registry.Resource <-- isRuntime(...) (223)" [style=filled, fillcolor="#cfe2f3"];
"org.jboss.as.server.deployment.DeploymentResourceSupport <-- register(...) (208)"->"org.jboss.as.controller.logging.ControllerLogger <-- deploymentResourceMustBeRuntimeOnly(...) (224)";
"org.jboss.as.controller.logging.ControllerLogger <-- deploymentResourceMustBeRuntimeOnly(...) (224)" [style=filled, fillcolor="#cfe2f3"];
"org.jboss.as.server.deployment.DeploymentResourceSupport <-- register(...) (208)"->"org.jboss.as.controller.registry.Resource <-- registerChild(...) (225)";
"org.jboss.as.controller.registry.Resource <-- registerChild(...) (225)" [style=filled, fillcolor="#cfe2f3"];
"org.jboss.as.server.deployment.DeploymentResourceSupport <-- getDeploymentSubModel(...) (200)"-
>"org.jboss.as.controller.registry.Resource <-- getModel(...) (226)";
"org.jboss.as.controller.registry.Resource <-- getModel(...) (226)" [style=filled, fillcolor="#cfe2f3"];
"org.jboss.as.server.deployment.DeploymentResourceSupport <-- getDeploymentSubModel(...) (200)"-
>"org.jboss.as.server.deployment.DeploymentResourceSupport <-- getOrCreate(...) (227)";
"org.jboss.as.server.deployment.DeploymentResourceSupport <-- getOrCreate(...) (227)" [style=filled, fillcolor="#cfe2f3"];
"org.jboss.as.server.deployment.DeploymentResourceSupport <-- getDeploymentSubModel(...) (200)"->"org.jboss.as.controller.PathAddress <-- pathAddress(...) (228)";
"org.jboss.as.controller.PathAddress <-- pathAddress(...) (228)" [style=filled, fillcolor="#cfe2f3"];
"org.jboss.as.controller.PathAddress <-- pathAddress(...) (228)"-
>"org.jboss.as.controller.PathAddress implements java.lang.Iterable (229)";
"org.jboss.as.controller.PathAddress implements java.lang.Iterable (229)" [style=filled, fillcolor="yellow"];
"org.jboss.as.controller.PathAddress <-- pathAddress(...) (228)"-
>"org.jboss.as.controller.PathAddress <-- pathAddress(...) (231)";
"org.jboss.as.controller.PathAddress <-- pathAddress(...) (231)" [style=filled, fillcolor="#cfe2f3"];
"org.jboss.as.controller.PathAddress <-- pathAddress(...) (231)"-
>"org.jboss.as.controller.PathElement <-- getKey(...) (232)";
"org.jboss.as.controller.PathElement <-- getKey(...) (232)" [style=filled, fillcolor="#cfe2f3"];

```

```

"org.jboss.as.controller.PathAddress <-- pathAddress(...) (231)"-
>"org.jboss.as.controller.PathAddress <-- duplicateElement(...) (233)";
"org.jboss.as.controller.PathAddress <-- duplicateElement(...) (233)"
[style=filled, fillcolor="#cfe2f3"];
"org.jboss.as.controller.PathAddress <-- duplicateElement(...) (233)"-
>"org.jboss.as.controller.logging.ControllerLogger <--
duplicateElement(...) (234)";
"org.jboss.as.controller.logging.ControllerLogger <--
duplicateElement(...) (234)" [style=filled, fillcolor="#cfe2f3"];
"org.jboss.as.controller.PathAddress <-- pathAddress(...) (231)"-
>"org.jboss.as.controller.PathAddress <-- CONSTRUCTOR(...) (235)";
"org.jboss.as.controller.PathAddress <-- CONSTRUCTOR(...) (235)"
[style=filled, fillcolor="#6fa8dc"];
"org.jboss.as.controller.PathAddress <-- CONSTRUCTOR(...) (235)"-
>"org.wildfly.common.Assert <-- assertNotNull(...) (236)";
"org.wildfly.common.Assert <-- assertNotNull(...) (236)" [style=filled,
fillcolor="#cfe2f3"];
"org.wildfly.common.Assert <-- assertNotNull(...) (236)"->"EMPTY CLASS
org.wildfly.common._private.CommonMessages(237)";
"org.wildfly.common.Assert <-- assertNotNull(...) (236)"-
>"org.wildfly.common._private.CommonMessages <-- unexpectedNullValue(...)
(238)";
"org.wildfly.common._private.CommonMessages <-- unexpectedNullValue(...)
(238)" [style=filled, fillcolor="#cfe2f3"];
"org.jboss.as.server.deployment.DeploymentResourceSupport <--
getDeploymentSubModel(...) (200)"-
>"org.jboss.as.controller.registry.ImmutableManagementResourceRegistration
<-- getSubModel(...) (239)";
"org.jboss.as.controller.registry.ImmutableManagementResourceRegistration
<-- getSubModel(...) (239)" [style=filled, fillcolor="#cfe2f3"];
"org.jboss.as.controller.registry.ImmutableManagementResourceRegistration
<-- getSubModel(...) (239)"-
>"org.jboss.as.controller.registry.ImmutableManagementResourceRegistration
implements org.jboss.as.controller.FeatureRegistry (240)";
"org.jboss.as.controller.registry.ImmutableManagementResourceRegistration
implements org.jboss.as.controller.FeatureRegistry (240)" [style=filled,
fillcolor="yellow"];
"org.jboss.as.server.deployment.DeploymentResourceSupport <--
getDeploymentSubModel(...) (200)"->"org.jboss.as.controller.PathElement <-
- toString(...) (242)";
"org.jboss.as.controller.PathElement <-- toString(...) (242)"
[style=filled, fillcolor="#cfe2f3"];
"org.jboss.as.jaxrs.deployment.JaxrsIntegrationProcessor <--
addManagement(...) (181)"->"org.jboss.as.jaxrs.logging.JaxrsLogger <--
failedToRegisterManagementViewForRESTResources(...) (243)";
"org.jboss.as.jaxrs.logging.JaxrsLogger <--
failedToRegisterManagementViewForRESTResources(...) (243)" [style=filled,
fillcolor="#cfe2f3"];
"start_0"->"org.jboss.as.server.deployment.DeploymentUnit <-- getName(...)
(244)";
"org.jboss.as.server.deployment.DeploymentUnit <-- getName(...) (244)"
[style=filled, fillcolor="#cfe2f3"];
"start_0"->"org.jboss.as.jaxrs.logging.JaxrsLogger <-- tracingEnabled(...)
(245)";

```

```

"org.jboss.as.jaxrs.logging.JaxrsLogger <-- tracingEnabled(...) (245)"
[style=filled, fillcolor="#cfe2f3"];
"start_0"->"org.jboss.as.jaxrs.deployment.JaxrsIntegrationProcessor <--
servletMappingsExist(...) (246)";
"org.jboss.as.jaxrs.deployment.JaxrsIntegrationProcessor <--
servletMappingsExist(...) (246)" [style=filled, fillcolor="#cfe2f3"];
"org.jboss.as.jaxrs.deployment.JaxrsIntegrationProcessor <--
servletMappingsExist(...) (246)"-
>"org.jboss.metadata.web.jboss.JBossWebMetaData <--
getServletMappings(...) (247)";
"org.jboss.metadata.web.jboss.JBossWebMetaData <-- getServletMappings(...)
(247)" [style=filled, fillcolor="#cfe2f3"];
"org.jboss.as.jaxrs.deployment.JaxrsIntegrationProcessor <--
servletMappingsExist(...) (246)"-
>"org.jboss.metadata.web.spec.ServletMappingMetaData <--
getServletName(...) (248)";
"org.jboss.metadata.web.spec.ServletMappingMetaData <--
getServletName(...) (248)" [style=filled, fillcolor="#cfe2f3"];
"org.jboss.metadata.web.spec.ServletMappingMetaData <--
getServletName(...) (248)"-
>"org.jboss.metadata.web.spec.ServletMappingMetaData extends
org.jboss.metadata.javaee.support.IdMetaDataImpl (249)";
"org.jboss.metadata.web.spec.ServletMappingMetaData extends
org.jboss.metadata.javaee.support.IdMetaDataImpl (249)" [style=filled,
fillcolor="#ff3232"];
"start_0"->"org.jboss.metadata.javaee.support.NamedMetaData <--
setName(...) (251)";
"org.jboss.metadata.javaee.support.NamedMetaData <-- setName(...) (251)"
[style=filled, fillcolor="#cfe2f3"];
"org.jboss.metadata.javaee.support.NamedMetaData <-- setName(...) (251)"-
>"org.jboss.metadata.web.jboss.JBossServletMetaData extends
org.jboss.metadata.web.spec.ServletMetaData (252)";
"org.jboss.metadata.web.jboss.JBossServletMetaData extends
org.jboss.metadata.web.spec.ServletMetaData (252)" [style=filled,
fillcolor="#ff3232"];
"org.jboss.metadata.javaee.support.NamedMetaData <-- setName(...) (251)"-
>"EMPTY CLASS org.jboss.metadata.javaee.support.NamedMetaData(254)";
"start_0"->"org.jboss.metadata.web.spec.ServletMetaData <--
setServletClass(...) (255)";
"org.jboss.metadata.web.spec.ServletMetaData <-- setServletClass(...)
(255)" [style=filled, fillcolor="#cfe2f3"];
"org.jboss.metadata.web.spec.ServletMetaData <-- setServletClass(...)
(255)"->"EMPTY CLASS org.jboss.metadata.web.spec.ServletMetaData(256)";
"start_0"->"org.jboss.metadata.web.spec.ServletMetaData <--
setAsyncSupported(...) (257)";
"org.jboss.metadata.web.spec.ServletMetaData <-- setAsyncSupported(...)
(257)" [style=filled, fillcolor="#cfe2f3"];
"start_0"->"org.jboss.as.jaxrs.deployment.JaxrsIntegrationProcessor <--
addServlet(...) (258)";
"org.jboss.as.jaxrs.deployment.JaxrsIntegrationProcessor <--
addServlet(...) (258)" [style=filled, fillcolor="#cfe2f3"];
"org.jboss.as.jaxrs.deployment.JaxrsIntegrationProcessor <--
addServlet(...) (258)"->"org.jboss.metadata.web.jboss.JBossWebMetaData <--
getServlets(...) (259)";

```

```

"org.jboss.metadata.web.jboss.JBossWebMetaData <-- getServlets(...) (259)"
[style=filled, fillcolor="#cfe2f3"];
"org.jboss.as.jaxrs.deployment.JaxrsIntegrationProcessor <--
addServlet(...) (258)"-
>"org.jboss.metadata.web.jboss.JBossServletsMetaData <-- CONSTRUCTOR(...)
(260)";
"org.jboss.metadata.web.jboss.JBossServletsMetaData <-- CONSTRUCTOR(...)
(260)" [style=filled, fillcolor="#6fa8dc"];
"org.jboss.metadata.web.jboss.JBossServletsMetaData <-- CONSTRUCTOR(...)
(260)"->"org.jboss.metadata.web.jboss.JBossServletsMetaData extends
org.jboss.metadata.javaee.support.AbstractMappedMetaData (261)";
"org.jboss.metadata.web.jboss.JBossServletsMetaData extends
org.jboss.metadata.javaee.support.AbstractMappedMetaData (261)"
[style=filled, fillcolor="#ff3232"];
"org.jboss.metadata.web.jboss.JBossServletsMetaData <-- CONSTRUCTOR(...)
(260)"->"org.jboss.metadata.javaee.support.AbstractMappedMetaData <--
CONSTRUCTOR(...) (263)";
"org.jboss.metadata.javaee.support.AbstractMappedMetaData <--
CONSTRUCTOR(...) (263)" [style=filled, fillcolor="#6fa8dc"];
"org.jboss.metadata.javaee.support.AbstractMappedMetaData <--
CONSTRUCTOR(...) (263)"-
>"org.jboss.metadata.javaee.support.AbstractMappedMetaData extends
org.jboss.metadata.javaee.support.IdMetaDataImpl (264)";
"org.jboss.metadata.javaee.support.AbstractMappedMetaData extends
org.jboss.metadata.javaee.support.IdMetaDataImpl (264)" [style=filled,
fillcolor="#ff3232"];
"org.jboss.metadata.javaee.support.AbstractMappedMetaData <--
CONSTRUCTOR(...) (263)"-
>"org.jboss.metadata.javaee.support.AbstractMappedMetaData implements
org.jboss.metadata.javaee.support.MappedMetaData (266)";
"org.jboss.metadata.javaee.support.AbstractMappedMetaData implements
org.jboss.metadata.javaee.support.MappedMetaData (266)" [style=filled,
fillcolor="yellow"];
"org.jboss.metadata.javaee.support.AbstractMappedMetaData <--
CONSTRUCTOR(...) (263)"->"org.jboss.metadata.javaee.support.IdMetaDataImpl
<-- CONSTRUCTOR(...) (268)";
"org.jboss.metadata.javaee.support.IdMetaDataImpl <-- CONSTRUCTOR(...)
(268)" [style=filled, fillcolor="#6fa8dc"];
"org.jboss.metadata.javaee.support.IdMetaDataImpl <-- CONSTRUCTOR(...)
(268)"->"org.jboss.metadata.javaee.support.IdMetaDataImpl implements
org.jboss.metadata.javaee.support.IdMetaData (269)";
"org.jboss.metadata.javaee.support.IdMetaDataImpl implements
org.jboss.metadata.javaee.support.IdMetaData (269)" [style=filled,
fillcolor="yellow"];
"org.jboss.metadata.javaee.support.IdMetaDataImpl <-- CONSTRUCTOR(...)
(268)"->"org.jboss.metadata.javaee.support.IdMetaDataImpl implements
java.lang.Cloneable (271)";
"org.jboss.metadata.javaee.support.IdMetaDataImpl implements
java.lang.Cloneable (271)" [style=filled, fillcolor="yellow"];
"org.jboss.as.jaxrs.deployment.JaxrsIntegrationProcessor <--
addServlet(...) (258)"->"org.jboss.metadata.web.jboss.JBossWebMetaData <--
setServlets(...) (273)";
"org.jboss.metadata.web.jboss.JBossWebMetaData <-- setServlets(...) (273)"
[style=filled, fillcolor="#cfe2f3"];

```

```

"org.jboss.as.jaxrs.deployment.JaxrsIntegrationProcessor <--
addServlet(...) (258)"-
>"org.jboss.metadata.javaee.support.AbstractMappedMetaData <-- add(...)
(274)";
"org.jboss.metadata.javaee.support.AbstractMappedMetaData <-- add(...)
(274)" [style=filled, fillcolor="#cfe2f3"];
"org.jboss.metadata.javaee.support.AbstractMappedMetaData <-- add(...)
(274)"->"org.jboss.metadata.javaee.support.MappableMetaData <--
getKey(...) (275)";
"org.jboss.metadata.javaee.support.MappableMetaData <-- getKey(...) (275)"
[style=filled, fillcolor="#cfe2f3"];
"org.jboss.metadata.javaee.support.AbstractMappedMetaData <-- add(...)
(274)"->"org.jboss.metadata.javaee.support.AbstractMappedMetaData <--
removeNotification(...) (276)";
"org.jboss.metadata.javaee.support.AbstractMappedMetaData <--
removeNotification(...) (276)" [style=filled, fillcolor="#cfe2f3"];
"org.jboss.metadata.javaee.support.AbstractMappedMetaData <-- add(...)
(274)"->"org.jboss.metadata.javaee.support.AbstractMappedMetaData <--
addNotification(...) (277)";
"org.jboss.metadata.javaee.support.AbstractMappedMetaData <--
addNotification(...) (277)" [style=filled, fillcolor="#cfe2f3"];
"start_0"->"org.jboss.as.jaxrs.deployment.JaxrsIntegrationProcessor <--
setServletMappingPrefix(...) (278)";
"org.jboss.as.jaxrs.deployment.JaxrsIntegrationProcessor <--
setServletMappingPrefix(...) (278)" [style=filled, fillcolor="#cfe2f3"];
"org.jboss.as.jaxrs.deployment.JaxrsIntegrationProcessor <--
setServletMappingPrefix(...) (278)"-
>"org.jboss.metadata.web.jboss.JBossWebMetaData <--
getServletMappings(...) (279)";
"org.jboss.metadata.web.jboss.JBossWebMetaData <-- getServletMappings(...)
(279)" [style=filled, fillcolor="#cfe2f3"];
"org.jboss.as.jaxrs.deployment.JaxrsIntegrationProcessor <--
setServletMappingPrefix(...) (278)"-
>"org.jboss.metadata.web.spec.ServletMappingMetaData <--
getServletName(...) (280)";
"org.jboss.metadata.web.spec.ServletMappingMetaData <--
getServletName(...) (280)" [style=filled, fillcolor="#cfe2f3"];
"org.jboss.as.jaxrs.deployment.JaxrsIntegrationProcessor <--
setServletMappingPrefix(...) (278)"-
>"org.jboss.metadata.web.spec.ServletMappingMetaData <--
getUrlPatterns(...) (281)";
"org.jboss.metadata.web.spec.ServletMappingMetaData <--
getUrlPatterns(...) (281)" [style=filled, fillcolor="#cfe2f3"];
"org.jboss.as.jaxrs.deployment.JaxrsIntegrationProcessor <--
setServletMappingPrefix(...) (278)"-
>"org.jboss.as.jaxrs.logging.JaxrsLogger <--
moreThanOneServletMapping(...) (282)";
"org.jboss.as.jaxrs.logging.JaxrsLogger <-- moreThanOneServletMapping(...)
(282)" [style=filled, fillcolor="#cfe2f3"];
"org.jboss.as.jaxrs.deployment.JaxrsIntegrationProcessor <--
setServletMappingPrefix(...) (278)"-
>"org.jboss.as.jaxrs.deployment.JaxrsIntegrationProcessor <--
setServletInitParam(...) (283)";

```

```

"org.jboss.as.jaxrs.deployment.JaxrsIntegrationProcessor <--
setServletInitParam(...) (283)" [style=filled, fillcolor="#cfe2f3"];
"org.jboss.as.jaxrs.deployment.JaxrsIntegrationProcessor <--
setServletInitParam(...) (283)"-
>"org.jboss.metadata.web.spec.ServletMetaData <-- getInitParam(...)
(284)";
"org.jboss.metadata.web.spec.ServletMetaData <-- getInitParam(...) (284)"
[style=filled, fillcolor="#cfe2f3"];
"org.jboss.as.jaxrs.deployment.JaxrsIntegrationProcessor <--
setServletInitParam(...) (283)"-
>"org.jboss.metadata.web.spec.ServletMetaData <-- setInitParam(...)
(285)";
"org.jboss.metadata.web.spec.ServletMetaData <-- setInitParam(...) (285)"
[style=filled, fillcolor="#cfe2f3"];
"start_0"->"org.jboss.metadata.web.spec.ServletMetaData <--
setLoadOnStartup(...) (286)";
"org.jboss.metadata.web.spec.ServletMetaData <-- setLoadOnStartup(...)
(286)" [style=filled, fillcolor="#cfe2f3"];
"org.jboss.metadata.web.spec.ServletMetaData <-- setLoadOnStartup(...)
(286)"->"org.jboss.metadata.web.spec.ServletMetaData <--
setLoadOnStartupInt(...) (287)";
"org.jboss.metadata.web.spec.ServletMetaData <-- setLoadOnStartupInt(...)
(287)" [style=filled, fillcolor="#cfe2f3"];
"org.jboss.metadata.web.spec.ServletMetaData <-- setLoadOnStartupInt(...)
(287)"->"org.jboss.metadata.web.spec.ServletMetaData extends
org.jboss.metadata.javaee.support.NamedMetaDataWithDescriptionGroup
(288)";
"org.jboss.metadata.web.spec.ServletMetaData extends
org.jboss.metadata.javaee.support.NamedMetaDataWithDescriptionGroup (288)"
[style=filled, fillcolor="#ff3232"];
"start_0"->"jakarta.ws.rs.ApplicationPath <-- value(...) (293)";
"jakarta.ws.rs.ApplicationPath <-- value(...) (293)" [style=filled,
fillcolor="#cfe2f3"];
"jakarta.ws.rs.ApplicationPath <-- value(...) (293)"-
>"jakarta.ws.rs.ApplicationPath implements java.lang.annotation.Annotation
(294)";
"jakarta.ws.rs.ApplicationPath implements java.lang.annotation.Annotation
(294)" [style=filled, fillcolor="yellow"];
"start_0"->"org.jboss.metadata.web.spec.ServletMappingMetaData <--
setServletName(...) (296)";
"org.jboss.metadata.web.spec.ServletMappingMetaData <--
setServletName(...) (296)" [style=filled, fillcolor="#cfe2f3"];
"start_0"->"org.jboss.metadata.web.spec.ServletMappingMetaData <--
setUrlPatterns(...) (297)";
"org.jboss.metadata.web.spec.ServletMappingMetaData <--
setUrlPatterns(...) (297)" [style=filled, fillcolor="#cfe2f3"];
"start_0"->"org.jboss.metadata.web.jboss.JBossWebMetaData <--
setServletMappings(...) (298)";
"org.jboss.metadata.web.jboss.JBossWebMetaData <-- setServletMappings(...)
(298)" [style=filled, fillcolor="#cfe2f3"];
"start_0"->"org.jboss.as.jaxrs.logging.JaxrsLogger <--
noServletDeclaration(...) (299)";
"org.jboss.as.jaxrs.logging.JaxrsLogger <-- noServletDeclaration(...)
(299)" [style=filled, fillcolor="#cfe2f3"];

```

